

Under Rail

Full & Part Extension







Available in

300 mm

350 mm

400 mm

450 mm

500 mm

550 mm

Features:

- Perfect height and stability at side can guarantee excellent running condition of the slides.
- Soft-closing function make the drawer close safely without effect of weight.
- Push type installation, put drawer on slides horizontally, push it closed, then assembling is finished.
- With height-adjustment function, the gap between drawer bottom and slides can be adjusted by rotating the blue plastic wheel.
- Tool-free, quick installation.
- With soft close function.

Load Capacity:

25 kg (varies by model)


Material:

Steel (Nickel plated)

Unit: Set

PU: 8

Easy assemble and disassemble
Fix the bolt in catcher bottom hole part







Available in

250mm

300 mm

350 mm

400 mm

450 mm

500 mm

Features:

- Full extension for complete drawer access
- Perfect height and stability at side can guarantee excellent running condition of the slides
- Soft-closing function make the drawer close safely without effect of weight
- Push type installation, Put drawer on slides horizontally, push it closed, then assembling is finished
- With height-adjustment function, the gap between drawer bottom and slides can be adjusted by rotating the blue plastic wheel
- Tool-free, quick installation
- With soft close function

Load Capacity:


35kg (varies by model)


Material:

Steel (Nickel plated)

Unit: Set

PU: 8





One of the

Leading Manufacturers of Premium Furniture Fitting Hardware

with 45+ years of legacy.

KNOW MORE



VISIT US

Global HQ

Samsung Precision Ind. Co. Ltd. Incheon, Seoul, South Korea 167, Bongsu-daero, Seo-qu Incheon-Seoul, South Korea

India HQ

F-02, Unit 11 & 12, Emaar - The Palm Square Golf Course Extn. Road Gurugram, Haryana

India Experience Centers

Amritsar | Bangalore | Chennai | Delhi | Deoria | Faridabad | Gurugram | Guwahati | Hyderabad | Karur | Kathua | Katni | Lucknow | Noida | Patiala | Raipur | Ranchi

Connect With Us

